

INDIA'S LARGEST COLLECTION OF HARD CARRY CASES



- > Heavy duty waterproof cases
- > Heavy duty long / gun cases
- > Medium duty non waterproof cases
- > Customised protective foam solutions



CNC Foam Fabrication



CUSTOMISED FOAM PACKING INSERTS



Drone cases | Camera cases | Medical kits | Demo kits | Tool kits | Gun cases



Heavy Duty Water Proof

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight (Kgs)	Wheels and Trolley
01	UW1909	L194 * W128 * H86	L215 * W166 * H98	67	19	0.43	No
02	UW1914	L190 * W126 * H135	L219 * W185 * H154	115	20	0.91	No
03	UW2111	L225 * W159 * H110	L252 * W218 * H122	76	34	0.90	No
04	UW2415	L239 * W181 * H153	L270 * W231 * H180	125	28	1.22	No
05	UW2510	L253 * W178 * H95	L274 * W225 * H113	70	25	1.00	No
06	UW2515	L253 * W178 * H150	L274 * W225 * H160	125	25	1.00	No
07	UW2610	L256 * W182 * H96	L288 * W224 * H108	70	26	0.67	No
08	UW2612	L262 * W202 * H120	L293 * W245 * H130	90	30	0.75	No
09	UW2612L	L260 * W200 * H120	L279 * W234 * H126	85	35	0.77	No
10	UW2721	L265 * W172 * H213	L286 * W220 * H263	193	20	1.80	No
11	UW2812	L278 * W203 * H115	L305 * W269 * H147	85	30	1.50	No
12	UW2813	L276 * W211 * H130	L335 * W260 * H145	95	35	1.50	No
13	UW2817	L278 * W203 * H165	L305 * W269 * H195	133	32	2.10	No
14	UW2919	L290 * W220 * H185	L325 * W279 * H207	135	50	1.50	No
15	UW3014	L297 * W176 * H144	L328 * W220 * H154	119	25	1.02	No
16	UW3021	L300 * W232 * H210	L324 * W282 * H222	173	37	1.48	No
17	UW3110	L305 * W205 * H98	L340 * W252 * H110	66	32	0.98	No
18	UW3112	L314 * W243 * H124	L340 * W310 * H152	98	26	2.26	No
19	UW3120	L308 * W230 * H195	L340 * W290 * H226	155	40	1.90	No
20	UW3217	L325 * W215 * H172	L361 * W267 * H190	146	26	1.58	No
21	UW3313	L330 * W248 * H130	L360 * W310 * H150	95	30	1.89	No
22	UW3316	L330 * W248 * H158	L360 * W310 * H180	125	33	1.90	No
23	UW3317	L330 * W231 * H165	L357 * W293 * H193	122	43	2.50	No
24	UW3409	L344 * W162 * H93	L365 * W203 * H106	66	27	0.72	No
25	UW3512	L350 * W245 * H120	L385 * W325 * H148	80	40	2.06	No
26	UW3516	L331 * W350 * H164	L355 * W420 * H198	100	64	3.37	No
27	UW3517	L350 * W300 * H165	L385 * W358 * H175	130	35	1.90	No
28	UW3518	L350 * W245 * H180	L385 * W325 * H205	140	40	2.45	No
29	UW3817	L375 * W264 * H170	L418 * W334 * H198	125	45	2.50	No
30	UW3818	L376 * W306 * H183	L411 * W365 * H200	155	28	2.45	No
31	UW3914	L385 * W285 * H140	L415 * W345 * H165	100	40	2.65	No

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight	Wheels and Trolley
32	UW3924	L385 * W230 * H242	L410 * W275 * H295	177	65	3.20	No
33	UW4010	L399 * W154 * H100	L418 * W199 * H110	68	32	1.03	No
34	UW4013	L400 * W308 * H125	L445 * W385 * H153	85	40	2.40	No
35	UW4018	L395 * W285 * H171	L420 * W345 * H185	130	41	1.90	No
36	UW4019	L400 * W308 * H195	L445 * W385 * H225	155	40	2.90	No
37	UW4110	L410 * W320 * H95	L430 * W360 * H104	75	20	1.68	No
38	UW4114	L405 * W298 * H143	L443 * W350 * H156	102	41	1.82	No
39	UW4120	L408 * W278 * H200	L460 * W350 * H220	140	60	3.00	No
40	UW4214	L421 * W292 * H139	L450 * W350 * H160	99	40	2.05	No
41	UW4312	L435 * W285 * H115	L460 * W343 * H125	80	35	2.20	No
42	UW4319	L430 * W290 * H194	L485 * W365 * H203	144	50	3.20	No
43	UW4333	L433 * W330 * H325	L466 * W390 * H351	280	45	5.50	No
44	UW4418	L435 * W340 * H175	L470 * W415 * H200	125	50	2.40	No
45	UW4428	L435 * W340 * H275	L465 * W410 * H290	230	45	3.03	No
46	UW4431	L435 * W345 * H314	L470 * W415 * H340	264	50	4.32	No
47	UW4512	L446 * W345 * H121	L479 * W415 * H150	77	44	4.12	No
48	UW4515	L447 * W305 * H148	L480 * W374 * H167	100	48	3.26	No
49	UW4519	L446 * W345 * H186	L479 * W415 * H217	142	44	4.90	No
50	UW4521	L447 * W305 * H213	L480 * W370 * H230	165	48	3.00	No
51	UW4521BP	L447 * W305 * H213	L490 * W374 * H230	165	48	4.30	No
52	UW4618	L460 * W345 * H175	L503 * W415 * H200	125	50	3.90	No
53	UW4619	L462 * W372 * H190	L481 * W434 * H211	143	47	3.66	No
54	UW4625	L460 * W345 * H250	L541 * W422 * H302	200	50	4.46	No
55	UW4723	L470 * W337 * H225	L500 * W408 * H246	177	48	4.25	No
56	UW4820	L480 * W370 * H200	L520 * W431 * H234	162	38	4.80	No
57	UW4820TR	L480 * W370 * H195	L530 * W435 * H240	160	35	6.50	Yes
58	UW4922	L490 * W370 * H215	L535 * W448 * H242	165	50	4.25	No
59	UW5021TR	L498 * W338 * H207	L570 * W400 * H260	162	45	5.85	Yes
60	UW5120TR	L510 * W285 * H195	L560 * W355 * H230	150	45	6.05	Yes
61	UW5130TR	L512 * W352 * H300	L585 * W425 * H348	255	45	7.05	Yes
62	UW5210	L515 * W175 * H100	L533 * W220 * H110	67	33	1.38	No
63	UW5215	L516 * W355 * H150	L545 * W423 * H175	100	50	4.40	No
64	UW5217	L515 * W289 * H165	L560 * W350 * H180	120	45	3.23	No
65	UW5219TR	L522 * W275 * H185	L557 * W348 * H248	140	45	6.40	Yes

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight	Wheels and Trolley
66	UW5220	L516 * W355 * H200	L545 * W423 * H216	150	50	4.20	No
67	UW5223TR	L516 * W391 * H228	L570 * W447 * H273	178	50	5.80	Yes
68	UW5225TR	L518 * W355 * H250	L580 * W420 * H300	200	50	7.00	Yes
69	UW5320TR	L530 * W310 * H200	L595 * W370 * H245	160	40	5.75	Yes
70	UW5321TR	L528 * W403 * H210	L580 * W460 * H255	170	40	6.30	Yes
71	UW5425TR	L540 * W407 * H248	L610 * W427 * H285	190	58	9.20	Yes
72	UW5528TR	L555 * W400 * H275	L638 * W478 * H333	215	60	8.40	Yes
73	UW5530TR	L550 * W450 * H300	L620 * W520 * H360	250	50	8.82	Yes
74	UW5620	L560 * W432 * H204	L619 * W491 * H222	154	50	5.30	No
75	UW5727TR	L572 * W443 * H270	L626 * W499 * H315	222	48	6.80	Yes
76	UW5827TR	L580 * W390 * H270	L670 * W450 * H310	220	50	8.60	Yes
77	UW5833TR	L584 * W440 * H328	L670 * W508 * H355	273	55	10.92	Yes
78	UW5921TR	L590 * W426 * H213	L683 * W493 * H260	163	50	6.99	Yes
79	UW6020TR	L600 * W455 * H200	L675 * W535 * H245	150	50	8.80	Yes
80	UW6029TR	L600 * W455 * H290	L675 * W535 * H342	240	50	9.30	Yes
81	UW6035TR	L600 * W455 * H350	L675 * W535 * H398	300	50	10.00	Yes
82	UW6230TR	L620 * W580 * H314	L700 * W660 * H360	254	60	10.80	Yes
83	UW6238TR	L620 * W580 * H380	L700 * W660 * H438	320	60	12.00	Yes
84	UW6259WH	L620 * W620 * H585	L684 * W684 * H640	455	130	16.80	Yes
85	UW6527TR	L648 * W400 * H270	L720 * W465 * H314	224	46	7.30	Yes
86	UW6620TR	L655 * W595 * H201	L727 * W658 * H241	170	31	10.86	Yes
87	UW6825TR	L680 * W430 * H250	L760 * W495 * H305	200	50	9.04	Yes
88	UW7427TR	L737 * W457 * H273	L797 * W518 * H313	226	47	11.50	Yes
89	UW7528TR	L745 * W457 * H280	L829 * W530 * H338	225	55	10.00	Yes
90	UW7630TR	L762 * W483 * H297	L830 * W565 * H325	222	75	13.90	Yes
91	UW7640TR	L763 * W483 * H402	L850 * W565 * H429	326	76	15.40	Yes
92	UW7830TR	L778 * W500 * H300	L850 * W570 * H330	240	60	11.00	Yes
93	UW7939TR	L786 * W661 * H391	L847 * W722 * H432	300	91	15.00	Yes
94	UW8743WH	L868 * W595 * H426	L933 * W661 * H577	330	96	18.38	Yes

UNICASE Heavy Duty Water Proof

UW1909

Internal :
L194 * W128 * H86 mm

External :
L215 * W166 * H98 mm

Bottom Depth : 67 mm

Lid Depth : 19 mm

Weight : 0.43 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

01

UNICASE Heavy Duty Water Proof

UW1914

Internal :
L190 * W126 * H135 mm

External :
L219 * W185 * H154 mm

Bottom Depth : 115 mm

Lid Depth : 20 mm

Weight : 0.91 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

02

UNICASE Heavy Duty Water Proof

UW2111

Internal :
L223 * W159 * H110 mm

External :
L252 * W218 * H122 mm

Bottom Depth : 76 mm

Lid Depth : 34 mm

Weight : 0.90 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

03

UNICASE Heavy Duty Water Proof

UW2415

Internal :
L239 * W181 * H153 mm

External :
L265 * W235 * H175 mm

Bottom Depth : 125 mm

Lid Depth : 28 mm

Weight : 1.22 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

04

UNICASE Heavy Duty Water Proof

UW2510

Internal :
L253 * W178 * H95 mm

External :
L274 * W225 * H113 mm

Bottom Depth : 70 mm

Lid Depth : 25 mm

Weight : 1.00 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

05

UNICASE Heavy Duty Water Proof

UW2515

Internal :
L253 * W178 * H150 mm

External :
L274 * W225 * H160 mm

Bottom Depth : 125 mm

Lid Depth : 25 mm

Weight : 1.00 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

06

UNICASE Heavy Duty Water Proof

UW2610

Internal :
L256 * W182 * H96 mm

External :
L288 * W224 * H108 mm

Bottom Depth : 70 mm

Lid Depth : 26 mm

Weight : 0.67 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

07

UNICASE Heavy Duty Water Proof

UW2612

Internal :
L262 * W202 * H120 mm

External :
L293 * W245 * H130 mm

Bottom Depth : 90 mm

Lid Depth : 30 mm

Weight : 0.76 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

08

UNICASE Heavy Duty Water Proof

UW2612L

Internal :
L260 * W200 * H120 mm

External :
L279 * W234 * H126 mm

Bottom Depth : 85 mm

Lid Depth : 35 mm

Weight : 0.77 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

09

UNICASE Heavy Duty Water Proof

UW2721

Internal :
L265 * W172 * H213 mm

External :
L286 * W220 * H263 mm

Bottom Depth : 193 mm

Lid Depth : 20 mm

Weight : 1.80 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

10

UNICASE Heavy Duty Water Proof

UW2812

Internal :
L278 * W203 * H115 mm

External :
L305 * W269 * H147 mm

Bottom Depth : 85 mm

Lid Depth : 30 mm

Weight : 1.50 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

11

UNICASE Heavy Duty Water Proof

UW2813

Internal :
L276 * W211 * H130 mm

External :
L335 * W260 * H145 mm

Bottom Depth : 95 mm

Lid Depth : 35 mm

Weight : 1.50 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

12

UNICASE Heavy Duty Water Proof

UW2817

- Internal :**
L275 * W198 * H165 mm
- External :**
L278 * W203 * H195 mm
- Bottom Depth :** 133 mm
- Lid Depth :** 32 mm
- Weight :** 2.10 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

13

UNICASE Heavy Duty Water Proof

UW2919

- Internal :**
L290 * W220 * H185 mm
- External :**
L325 * W279 * H207 mm
- Bottom Depth :** 135 mm
- Lid Depth :** 50mm
- Weight :** 1.50 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

14

UNICASE Heavy Duty Water Proof

UW3014

- Internal :**
L297 x W176 x H144 mm
- External :**
L328 x W220 x H154 mm
- Bottom Depth :** 119 mm
- Lid Depth :** 25 mm
- Weight :** 1.02 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

15

UNICASE Heavy Duty Water Proof

UW3021

- Internal :**
L300 x W232 x H210 mm
- External :**
L324 x 282 x 222 mm
- Bottom Depth :** 173 mm
- Lid Depth :** 37 mm
- Weight :** 1.48 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

16

UNICASE Heavy Duty Water Proof

UW3110

- Internal :**
L305 x W205 x H98 mm
- External :**
L340 x W252 x H110 mm
- Bottom Depth :** 66 mm
- Lid Depth :** 32 mm
- Weight :** 0.98 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

17

UNICASE Heavy Duty Water Proof

UW3112

- Internal :**
L314 x W243 x H124 mm
- External :**
L340 x W310 x H152 mm
- Bottom Depth :** 98 mm
- Lid Depth :** 26 mm
- Weight :** 2.26 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

18

UNICASE Heavy Duty Water Proof

UW3120

Internal :
L308 * W230 * H195 mm

External :
L340 * W290 * H226 mm

Bottom Depth : 155 mm

Lid Depth : 40 mm

Weight : 1.90 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

19

UNICASE Heavy Duty Water Proof

UW3217

Internal :
L325 x W215 x H172 mm

External :
L361 x W267 x H190 mm

Bottom Depth : 146 mm

Lid Depth : 26 mm

Weight : 1.59 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

20

UNICASE Heavy Duty Water Proof

UW3313

Internal :
L330 * W248 * H130 mm

External :
L360 * W310 * H150 mm

Bottom Depth : 95 mm

Lid Depth : 30 mm

Weight : 1.89 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

21

UNICASE Heavy Duty Water Proof

UW3316

Internal :
L330 * W248 * H158 mm

External :
L360 * W310 * H180 mm

Bottom Depth : 125 mm

Lid Depth : 33 mm

Weight : 1.90 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

22

UNICASE Heavy Duty Water Proof

UW3317

Internal :
L330 x W231 x H165 mm

External :
L357 x W293 x H193 mm

Bottom Depth : 122 mm

Lid Depth : 43 mm

Weight : 2.50 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

23

UNICASE Heavy Duty Water Proof

UW3409

Internal :
L344 x W162 x H93 mm

External :
L365 x W203 x H106 mm

Bottom Depth : 66 mm

Lid Depth : 27 mm

Weight : 0.72 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

24

UNICASE Heavy Duty Water Proof

UW3512

Internal :
L350 * W245 * H120 mm

External :
L385 * W325 * H148 mm

Bottom Depth : 80 mm

Lid Depth : 40 mm

Weight : 2.06 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

25

UNICASE Heavy Duty Water Proof

UW3516

Internal :
L331 x W350 x H164 mm

External :
L355 x W420 x H198 mm

Bottom Depth : 100 mm

Lid Depth : 64 mm

Weight : 3.37 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

26

UNICASE Heavy Duty Water Proof

UW3517

Internal :
L350 x W300 x H165 mm

External :
L385 x W358 x H175 mm

Bottom Depth : 130 mm

Lid Depth : 35 mm

Weight : 1.91 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

27

UNICASE Heavy Duty Water Proof

UW3518

Internal :
L350 * W245 * H180 mm

External :
385 * 325 * 205 mm

Bottom Depth : 140 mm

Lid Depth : 40 mm

Weight : 2.45 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

28

UNICASE Heavy Duty Water Proof

UW3817

Internal :
L375 * W264 * H170 mm

External :
L418 * W334 * H198 mm

Bottom Depth : 125 mm

Lid Depth : 45 mm

Weight : 2.50 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

29

UNICASE Heavy Duty Water Proof

UW3818

Internal :
L376 x W306 x H183 mm

External :
L411 x W365 x H200 mm

Bottom Depth : 155 mm

Lid Depth : 28 mm

Weight : 2.45 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

30

UNICASE Heavy Duty Water Proof

UW3914

- Internal :**
L385 * W285 * H140 mm
- External :**
L415 * W345 * H165 mm
- Bottom Depth :** 100 mm
- Lid Depth :** 40 mm
- Weight :** 2.65 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

31

UNICASE Heavy Duty Water Proof

UW3924

- Internal :**
L385 x W230 x H242 mm
- External :**
L410 x W275 x H295 mm
- Bottom Depth :** 177 mm
- Lid Depth :** 65 mm
- Weight :** 3.20 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

32

UNICASE Heavy Duty Water Proof

UW4010

- Internal :**
L399 x W154 x H100 mm
- External :**
L418 x W199 x H110 mm
- Bottom Depth :** 68 mm
- Lid Depth :** 32 mm
- Weight :** 1.03 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

33

UNICASE Heavy Duty Water Proof

UW4013

- Internal :**
400 * 308 * 125 mm
- External :**
445 * 385 * 153 mm
- Bottom Depth :** 85 mm
- Lid Depth :** 40 mm
- Weight :** 2.40 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

34

UNICASE Heavy Duty Water Proof

UW4018

- Internal :**
L395 x W285 x H171 mm
- External :**
L420 x W345 x H185 mm
- Bottom Depth :** 130 mm
- Lid Depth :** 41 mm
- Weight :** 1.90 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

35

UNICASE Heavy Duty Water Proof

UW4019

- Internal :**
400 * 308 * 195 mm
- External :**
445 * 385 * 225 mm
- Bottom Depth :** 155 mm
- Lid Depth :** 40 mm
- Weight :** 2.70 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

36

UNICASE Heavy Duty Water Proof

UW4110

Internal :
L410 * W320 * H95 mm

External :
L430 * W360 * H104 mm

Bottom Depth : 75 mm

Lid Depth : 20 mm

Weight : 1.68 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

37

UNICASE Heavy Duty Water Proof

UW4114

Internal :
L405 x W298 x H143 mm

External :
L443 x W350 x H156 mm

Bottom Depth : 102 mm

Lid Depth : 41 mm

Weight : 1.83 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

38

UNICASE Heavy Duty Water Proof

UW4120

Internal :
L408 * W278 * H200 mm

External :
L460 * W350 * H220 mm

Bottom Depth : 140 mm

Lid Depth : 60 mm

Weight : 3.00 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

39

UNICASE Heavy Duty Water Proof

UW4214

Internal :
L421 x W292 x H139 mm

External :
L450 x W350 x H160 mm

Bottom Depth : 99 mm

Lid Depth : 40 mm

Weight : 2.05 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

40

UNICASE Heavy Duty Water Proof

UW4312

Internal :
435 * 285 * 115 mm

External :
460 * 343 * 125 mm

Bottom Depth : 80 mm

Lid Depth : 35 mm

Weight : 2.20 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

41

UNICASE Heavy Duty Water Proof

UW4319

Internal :
L430 * W290 * H194 mm

External :
L485 * W365 * H203 mm

Bottom Depth : 144 mm

Lid Depth : 50 mm

Weight : 3.20 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

42

UNICASE Heavy Duty Water Proof

UW4333

- Internal :**
L433 x W330 x H325 mm
- External :**
L466 x W390 x H351 mm
- Bottom Depth :** 280 mm
- Lid Depth :** 45 mm
- Weight :** 5.50 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

43

UNICASE Heavy Duty Water Proof

UW4418

- Internal :**
L435 x W340 x H175 mm
- External :**
L470 x W415 x H200 mm
- Bottom Depth :** 125 mm
- Lid Depth :** 50 mm
- Weight :** 2.40 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

44

UNICASE Heavy Duty Water Proof

UW4428

- Internal :**
L435 x W340 x H275 mm
- External :**
L465 x W410 x H290 mm
- Bottom Depth :** 230 mm
- Lid Depth :** 45 mm
- Weight :** 3.03 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

45

UNICASE Heavy Duty Water Proof

UW4431

- Internal :**
L435 * W345 * H314 mm
- External :**
L470 * W415 * H340 mm
- Bottom Depth :** 264 mm
- Lid Depth :** 50 mm
- Weight :** 4.32 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

46

UNICASE Heavy Duty Water Proof

UW4512

- Internal :**
L446 x W345 x H121 mm
- External :**
L479 x W415 x H150 mm
- Bottom Depth :** 77 mm
- Lid Depth :** 44 mm
- Weight :** 4.12 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

47

UNICASE Heavy Duty Water Proof

UW4515

- Internal :**
L447 * W305 * H148 mm
- External :**
L480 * W374 * H167 mm
- Bottom Depth :** 100 mm
- Lid Depth :** 48 mm
- Weight :** 3.27 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

48

UNICASE Heavy Duty Water Proof

UW4519

Internal :
L446 x W345 x H186 mm

External :
L479 x W415 x H217 mm

Bottom Depth : 142 mm

Lid Depth : 44 mm

Weight : 4.90 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

49

UNICASE Heavy Duty Water Proof

UW4521

Internal :
L447 * W305 * H213 mm

External :
L480 * W370 * H230 mm

Bottom Depth : 165 mm

Lid Depth : 48 mm

Weight : 3.00 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

50

UNICASE Heavy Duty Water Proof

UW4521BP

Internal :
L447 * W305 * H213 mm

External :
L490 * W374 * H230 mm

Bottom Depth : 165 mm

Lid Depth : 48 mm

Weight : 4.30 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

51

UNICASE Heavy Duty Water Proof

UW4618

Internal :
L460 * W345 * H175 mm

External :
L503 * W415 * H200 mm

Bottom Depth : 125 mm

Lid Depth : 50 mm

Weight : 3.90 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

52

UNICASE Heavy Duty Water Proof

UW4619

Internal :
L462 x W372 x H190 mm

External :
L481 x W434 x H211 mm

Bottom Depth : 143 mm

Lid Depth : 47 mm

Weight : 3.67 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

53

UNICASE Heavy Duty Water Proof

UW4625

Internal :
L460 x W345 x H250 mm

External :
L541 x W422 x H302 mm

Bottom Depth : 200 mm

Lid Depth : 50 mm

Weight : 4.46 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

54

UNICASE Heavy Duty Water Proof

UW4723

Internal :
L470 * W337 * H225 mm

External :
L500 * W408 * H246 mm

Bottom Depth : 177 mm

Lid Depth : 48 mm

Weight : 4.25 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

55

UNICASE Heavy Duty Water Proof

UW4820

Internal :
L480 x W370 x H200 mm

External :
L520 * W431 * H234 mm

Bottom Depth : 162 mm

Lid Depth : 32 mm

Weight : 4.80 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

56

UNICASE Heavy Duty Water Proof

UW4820TR

Internal :
L480 x W370 x H195 mm

External :
L530 x W435 x H240 mm

Bottom Depth : 160 mm

Lid Depth : 35 mm

Weight : 6.30 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

57

UNICASE Heavy Duty Water Proof

UW4922

Internal :
L490 * W370 * H215 mm

External :
L535 * W448 * H242 mm

Bottom Depth : 165 mm

Lid Depth : 50 mm

Weight : 6.30 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

58

UNICASE Heavy Duty Water Proof

UW5021TR

Internal :
L498 x W338 x H207 mm

External :
L570 x W400 x H260 mm

Bottom Depth : 162 mm

Lid Depth : 45 mm

Weight : 5.85 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

59

UNICASE Heavy Duty Water Proof

UW5120TR

Internal :
L510 x W285 x H195 mm

External :
L560 x W355 x H230 mm

Bottom Depth : 150 mm

Lid Depth : 45 mm

Weight : 6.05 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

60

UNICASE Heavy Duty Water Proof

UW5130TR

Internal :
L512 * W352 * H300 mm

External :
L585 * W425 * H348 mm

Bottom Depth : 255 mm

Lid Depth : 45 mm

Weight : 7.05 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

61

UNICASE Heavy Duty Water Proof

UW5210

Internal :
L515 x W175 x H100 mm

External :
L533 x W220 x H110 mm

Bottom Depth : 67 mm

Lid Depth : 33 mm

Weight : 1.38 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

62

UNICASE Heavy Duty Water Proof

UW5215

Internal :
516 * 355 * 150 mm

External :
545 * 423 * 175 mm

Bottom Depth : 100 mm

Lid Depth : 50 mm

Weight : 4.40 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

63

UNICASE Heavy Duty Water Proof

UW5217

Internal :
L515 x W289 x H165 mm

External :
L560 x W350 x H180 mm

Bottom Depth : 120 mm

Lid Depth : 45 mm

Weight : 3.23 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

64

UNICASE Heavy Duty Water Proof

UW5219TR

Internal :
L522 x W275 x H185 mm

External :
L557 x W348 x H248 mm

Bottom Depth : 140 mm

Lid Depth : 45 mm

Weight : 6.40 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

65

UNICASE Heavy Duty Water Proof

UW5220

Internal :
L516 * W355 * H200 mm

External :
L545 * W423 * H216 mm

Bottom Depth : 150 mm

Lid Depth : 50 mm

Weight : 4.20 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

66

UNICASE Heavy Duty Water Proof

UW5223TR

- Internal :**
L516 * W391 * H228 mm
- External :**
L570 * W447 * H273 mm
- Bottom Depth :** 178 mm
- Lid Depth :** 50 mm
- Weight :** 5.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

67

UNICASE Heavy Duty Water Proof

UW5225TR

- Internal :**
L518 * W355 * H250 mm
- External :**
L580 * W420 * H300 mm
- Bottom Depth :** 200 mm
- Lid Depth :** 50 mm
- Weight :** 7.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

68

UNICASE Heavy Duty Water Proof

UW5320TR

- Internal :**
L530 x W310 x H200 mm
- External :**
L595 x W370 x H245 mm
- Bottom Depth :** 160 mm
- Lid Depth :** 40 mm
- Weight :** 5.75 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

69

UNICASE Heavy Duty Water Proof

UW5321TR

- Internal :**
L528 * W403 * H210 mm
- External :**
L580 * W460 * H255 mm
- Bottom Depth :** 170 mm
- Lid Depth :** 40 mm
- Weight :** 6.30 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

70

UNICASE Heavy Duty Water Proof

UW5425TR

- Internal :**
L540 x W407 x H248 mm
- External :**
L610 x W427 x H285 mm
- Bottom Depth :** 190 mm
- Lid Depth :** 58 mm
- Weight :** 9.20 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

71

UNICASE Heavy Duty Water Proof

UW5528TR

- Internal :**
L555 * W400 * H275 mm
- External :**
L638 * W478 * H333 mm
- Bottom Depth :** 215 mm
- Lid Depth :** 60 mm
- Weight :** 8.40 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

72

UNICASE Heavy Duty Water Proof

UW5530TR

- Internal :**
L550 x W450 x H300 mm
- External :**
L620 x W520 x H360 mm
- Bottom Depth :** 250 mm
- Lid Depth :** 50 mm
- Weight :** 8.82 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

73

UNICASE Heavy Duty Water Proof

UW5620

- Internal :**
L560 x W432 x H204 mm
- External :**
L619 x W491 x H222 mm
- Bottom Depth :** 154 mm
- Lid Depth :** 50 mm
- Weight :** 5.30 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

74

UNICASE Heavy Duty Water Proof

UW5727TR

- Internal :**
L572 * W443 * H270 mm
- External :**
L626 * W499 * H315 mm
- Bottom Depth :** 222 mm
- Lid Depth :** 48 mm
- Weight :** 6.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

75

UNICASE Heavy Duty Water Proof

UW5827TR

- Internal :**
L580 * W390 * H270 mm
- External :**
L670 * W450 * H310 mm
- Bottom Depth :** 220 mm
- Lid Depth :** 50 mm
- Weight :** 8.60 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

76

UNICASE Heavy Duty Water Proof

UW5833TR

- Internal :**
L584 x W440 x H328 mm
- External :**
L670 x W508 x H355 mm
- Bottom Depth :** 273 mm
- Lid Depth :** 55 mm
- Weight :** 10.92 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

77

UNICASE Heavy Duty Water Proof

UW5921TR

- Internal :**
L590 x W426 x H213 mm
- External :**
L683 x W493 x H260 mm
- Bottom Depth :** 163 mm
- Lid Depth :** 50 mm
- Weight :** 6.99 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

78

UNICASE Heavy Duty Water Proof

UW6020TR

- Internal :**
L600 * W455 * H200 mm
- External :**
L675 * W535 * H245 mm
- Bottom Depth :** 150 mm
- Lid Depth :** 50 mm
- Weight :** 8.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

79

UNICASE Heavy Duty Water Proof

UW6029TR

- Internal :**
L600 * W455 * H290 mm
- External :**
L675 * W535 * H342 mm
- Bottom Depth :** 240 mm
- Lid Depth :** 50 mm
- Weight :** 9.30 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

80

UNICASE Heavy Duty Water Proof

UW6035TR

- Internal :**
L600 * W455 * H350 mm
- External :**
L675 * W535 * H398 mm
- Bottom Depth :** 300 mm
- Lid Depth :** 50 mm
- Weight :** 10.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

81

UNICASE Heavy Duty Water Proof

UW6230TR

- Internal :**
L620 * W580 * H314 mm
- External :**
L700 * W660 * H360 mm
- Bottom Depth :** 254 mm
- Lid Depth :** 60 mm
- Weight :** 10.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

82

UNICASE Heavy Duty Water Proof

UW6238TR

- Internal :**
L620 * W580 * H380 mm
- External :**
L700 * W660 * H438 mm
- Bottom Depth :** 320 mm
- Lid Depth :** 60 mm
- Weight :** 12.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

83

UNICASE Heavy Duty Water Proof

UW6259WH

- Internal :**
L620 x W620 x H585 mm
- External :**
684 x W684 x H640 mm
- Bottom Depth :** 455 mm
- Lid Depth :** 130 mm
- Weight :** 16.80 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

84

UNICASE Heavy Duty Water Proof

UW6527TR

- Internal :**
L648 x W400 x H270 mm
- External :**
L720 x W465 x H314 mm
- Bottom Depth :** 224 mm
- Lid Depth :** 46 mm
- Weight :** 7.31 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

85

UNICASE Heavy Duty Water Proof

UW6620TR

- Internal :**
L655 x W595 x H201 mm
- External :**
L727 x W658 x H241 mm
- Bottom Depth :** 170 mm
- Lid Depth :** 31 mm
- Weight :** 10.86 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

86

UNICASE Heavy Duty Water Proof

UW6825TR

- Internal :**
L680 * W430 * H250 mm
- External :**
L760 * W495 * H305 mm
- Bottom Depth :** 200 mm
- Lid Depth :** 50 mm
- Weight :** 9.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

87

UNICASE Heavy Duty Water Proof

UW7427TR

- Internal :**
L737 x W457 x H273 mm
- External :**
L797 x W518 x H313 mm
- Bottom Depth :** 226 mm
- Lid Depth :** 47 mm
- Weight :** 11.50 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

88

UNICASE Heavy Duty Water Proof

UW7528TR

- Internal :**
L745 * W457 * H280 mm
- External :**
L829 * W530 * H338 mm
- Bottom Depth :** 225 mm
- Lid Depth :** 55 mm
- Weight :** 10.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

89

UNICASE Heavy Duty Water Proof

UW7630TR

- Internal :**
L762 x W483 x H297 mm
- External :**
L830 x W565 x H325 mm
- Bottom Depth :** 222 mm
- Lid Depth :** 75 mm
- Weight :** 13.90 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

90

UNICASE Heavy Duty Water Proof

UW7640TR

- Internal :**
L763 x W483 x H402 mm
- External :**
L850 x W565 x H429 mm
- Bottom Depth :** 326 mm
- Lid Depth :** 76 mm
- Weight :** 15.40 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

91

UNICASE Heavy Duty Water Proof

UW7830TR

- Internal :**
L778 * W500 * H300 mm
- External :**
L850 * W570 * H330 mm
- Bottom Depth :** 240 mm
- Lid Depth :** 60 mm
- Weight :** 11.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

92

UNICASE Heavy Duty Water Proof

UW7939TR

- Internal :**
L786 x W661 x H391 mm
- External :**
L847 x W722 x H432 mm
- Bottom Depth :** 300 mm
- Lid Depth :** 91 mm
- Weight :** 15.00 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

93

UNICASE Heavy Duty Water Proof

UW8743WH

- Internal :**
L868 x W595 x H426 mm
- External :**
L933 x W661 x H577 mm
- Bottom Depth :** 330 mm
- Lid Depth :** 96 mm
- Weight :** 18.38 Kgs
- Material :** Polypropylene
- Wheels :** Yes



www.unicase.in

94

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight (Kgs)	Wheels and Trolley
01	UL9315TR	L930 * W356 * H152	L978 * W419* H173	111	41	6.40	Yes
02	UL9616TR	L960 * W500 * H158	L1018 * W503 * H189	116	42	7.37	Yes
03	UL10413TR	L1042 * W352 * H132	L1098 * W415 * H155	91	41	4.95	Yes
04	UL10632TR	L1061 * W348 * H318	L1116 * W404 * H341	253	65	8.28	Yes
05	UL11218TR	L1120 * W465 * H180	L1190 * W534 * H212	125	55	8.90	Yes
06	UL12210	L1220 * W230 * H100	L1252 * W294* H130	70	30	6.10	No
07	UL11413TR	L1138 * W351 * H133	L1189 * W405 * H160	93	40	9.6	Yes
08	UL13113TR	L1308 * W321 * H133	L1387 * W394 * H152	83	50	8.40	Yes

Heavy Duty Long

UL9315TR

Internal :
L930 * W356 * H152 mm

External :
L978 * W419 * H173 mm

Bottom Depth : 111mm

Lid Depth : 41 mm

Weight : 6.40 Kgs

Material : Polypropylene

Wheels : Yes

www.unicase.in
01

Heavy Duty Long

UL9616TR

Internal :
L960 x W500 x H158 mm

External :
L1018 x W503 x H189 mm

Bottom Depth : 116mm

Lid Depth : 42 mm

Weight : 7.37 Kgs

Material : Polypropylene

Wheels : Yes

www.unicase.in
02

Heavy Duty Long

UL10413TR

Internal :
L1042 * W352 * H132 mm

External :
L1098 * W415 * H155 mm

Bottom Depth : 91mm

Lid Depth : 41 mm

Weight : 4.95 Kgs

Material : Polypropylene

Wheels : Yes

www.unicase.in
03

Heavy Duty Long

UL10632TR

Internal :
L1061 x W348 x H318 mm

External :
L1116 x W404 x H341 mm

Bottom Depth : 253 mm

Lid Depth : 65 mm

Weight : 8.28 Kgs

Material : Polypropylene

Wheels : Yes

www.unicase.in
04

UNICASE Heavy Duty Long

UL11218TR

Internal :
L1120 * W465 * H180 mm

External :
L1190 * W534 * H212 mm

Bottom Depth : 125mm

Lid Depth : 55 mm

Weight : 8.90 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

05

UNICASE Heavy Duty Long

UL11413TR

Internal :
L1138 * W351 * H133 mm

External :
L1189 * W405 * H160 mm

Bottom Depth : 93 mm

Lid Depth : 40 mm

Weight : 9.60 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

07

UNICASE Heavy Duty Long

UL12210

Internal :
L1220 * W230 * H100 mm

External :
L1252 * W294 * H130 mm

Bottom Depth : 70mm

Lid Depth : 30 mm

Weight : 6.10 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

06

UNICASE Heavy Duty Long

UL13113TR

Internal :
L1308 * W321 * H133 mm

External :
L1387 * W394 * H152 mm


Bottom Depth : 83mm

Lid Depth : 50 mm

Weight : 8.40 Kgs

Material : Polypropylene

Wheels : Yes



www.unicase.in

08

No	Model	Internal (mm)	External (mm)	Bottom Depth (mm)	Lid Depth (mm)	Weight (Kgs)	Wheels and Trolley
01	UN2012	L195 * W175 * H116	L209 * W235 * H120	58	58	0.47	No
02	UN2207	L215 * W110 * H70	L220 * W168 * H82	35	35	0.31	No
03	UN2304	L226 * W140 * H40	L232 * W192 * H53	20	20	0.30	No
04	UN2407	L243 * W160 * H66	L250 * W215 * H77	33	33	0.41	No
05	UN2607	L255 * W155 * H69	L268 * W210 * H77	37	32	0.34	No
06	UN2708	L270 * W175 * H76	L275 * W230 * H88	38	38	0.49	No
07	UN3106	L310 * W203 * H62	L320 * W270 * H76	31	31	0.67	No
09	UN3110	L310 * W215 * H98	L316 * W290 * H108	54	44	0.69	No
09	UN3113	L310 * W203 * H117	L320 * W270 * H130	86	31	0.84	No
10	UN3117	L310 * W203 * H172	L320 * W270* H185	86	86	0.98	No
11	UN3207	L324 * W219 * H74	L330 * W287 * H87	37	37	0.78	No
12	UN3408	L340 * W190 * H80	L354 * W261 * H86	40	40	0.65	No
13	UN3809	L380 * W277 * H90	L388 * W343 * H102	45	45	1.10	No
14	UN4020	L400 * W277 * H198	L413 * W352 * H206	99	99	1.28	No
15	UN4209	L420 * W245 * H90	L427 * W311 * H96	45	45	0.76	No
16	UN4211	L420 * W245 * H108	L427 * W311 * H114	54	54	0.79	No
17	UN4314	L430 * W330 * H140	L450 * W373 * H153	70	70	1.48	No
18	UN4410	L442 * W297 * H104	L448 * W363 * H116	52	52	1,31	No
19	UN4412	L442 * W265 * H124	L447 * W333 * H130	62	62	0.93	No
20	UN4413	L442 * W297 * H122	L448 * W363 * H135	70	52	1.39	No
21	UN4414	L442 * W297 * H140	L448 * W363 * H148	70	70	1.48	No
22	UN4713	L468 * W297 * H134	L475 * W366 * H140	67	67	1.32	No
23	UN5217	L520 * W330 * H170	L546 * W380 * H183	85	85	2.22	No
24	UN5312	L527 * W285 * H124	L533 * W348 * H131	62	62	1.96	No
25	UN5918	L590 * W390 * H180	L611 * W440 * H193	90	90	2.49	No

UNICASE Non Water Proof

UN2012

Internal :
L195 * W175 * H116 mm

External :
L209 * W235 * H120 mm

Bottom Depth : 58 mm

Lid Depth : 58 mm

Weight : 0.47 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

01

UNICASE Non Water Proof

UN2207

Internal :
L215 * W110 * H70 mm

External :
L220 * W168 * H82 mm

Bottom Depth : 35 mm

Lid Depth : 35 mm

Weight : 0.31 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

02

UNICASE Non Water Proof

UN2304

Internal :
L226 * W140 * H40 mm

External :
L232 * W192 * H53 mm

Bottom Depth : 20 mm

Lid Depth : 20 mm

Weight : 0.30 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

03

UNICASE Non Water Proof

UN2407

Internal :
L243 * W160 * H66 mm

External :
L250 * W215 * H77 mm

Bottom Depth : 33 mm

Lid Depth : 33 mm

Weight : 0.41 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

04

UNICASE Non Water Proof

UN2607

Internal :
L255 * W155 * H69 mm

External :
L268 * W210 * H77 mm

Bottom Depth : 37 mm

Lid Depth : 32 mm

Weight : 0.34 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

05

UNICASE Non Water Proof

UN2708

Internal :
L270 * W175 * H76 mm

External :
L275 * W230 * H88 mm

Bottom Depth : 30 mm

Lid Depth : 38 mm

Weight : 0.49 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

06

UNICASE Non Water Proof

UN3106

Internal :
L310 * W203 * H62 mm

External :
L320 * W270 * H76 mm

Bottom Depth : 31 mm

Lid Depth : 31 mm

Weight : 0.67 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

07

UNICASE Non Water Proof

UN3110

Internal :
L310 * W215 * H98 mm

External :
L316 * W290 * H108 mm

Bottom Depth : 54 mm

Lid Depth : 44 mm

Weight : 0.69 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

08

UNICASE Non Water Proof

UN3113

Internal :
L310 * W203 * H117 mm

External :
L320 * W270 * H130 mm

Bottom Depth : 86 mm

Lid Depth : 31 mm

Weight : 0.84 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

09

UNICASE Non Water Proof

UN3117

Internal :
L310 * W203 * H172 mm

External :
L320 * W270 * H185 mm

Bottom Depth : 86 mm

Lid Depth : 86 mm

Weight : 0.98 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

10

UNICASE Non Water Proof

UN3207

Internal :
L324 * W219 * H74 mm

External :
L330 * W287 * H87 mm

Bottom Depth : 37 mm

Lid Depth : 37 mm

Weight : 0.78 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

11

UNICASE Non Water Proof

UN3408

Internal :
L340 * W190 * H80 mm

External :
L354 * W261 * H86 mm

Bottom Depth : 40 mm

Lid Depth : 40 mm

Weight : 0.66 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

12

UNICASE Non Water Proof

UN3809

- Internal :**
L380 * W277 * H90 mm
- External :**
L388 * W343 * H102 mm
- Bottom Depth :** 45 mm
- Lid Depth :** 45 mm
- Weight :** 1.10 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

13

UNICASE Non Water Proof

UN4020

- Internal :**
L400 * W277 * H198 mm
- External :**
L413 * W352 * H206 mm
- Bottom Depth :** 99 mm
- Lid Depth :** 99 mm
- Weight :** 1.28 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

14

UNICASE Non Water Proof

UN4209

- Internal :**
L420 * W245 * H90 mm
- External :**
L427 * W311 * H96 mm
- Bottom Depth :** 45 mm
- Lid Depth :** 45 mm
- Weight :** 0.77 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

15

UNICASE Non Water Proof

UN4211

- Internal :**
L420 * W245 * H108 mm
- External :**
L427 * W311 * H114 mm
- Bottom Depth :** 54 mm
- Lid Depth :** 54 mm
- Weight :** 0.80 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

16

UNICASE Non Water Proof

UN4314

- Internal :**
L430 * W330 * H140 mm
- External :**
L450 * W373 * H153 mm
- Bottom Depth :** 70 mm
- Lid Depth :** 70 mm
- Weight :** 1.49 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

17

UNICASE Non Water Proof

UN4410

- Internal :**
L442 * W297 * H104 mm
- External :**
L448 * W363 * H116 mm
- Bottom Depth :** 52 mm
- Lid Depth :** 52 mm
- Weight :** 1.31 Kgs
- Material :** Polypropylene
- Wheels :** No



www.unicase.in

18

UNICASE Non Water Proof

UN4412

Internal :
L442 * W265 * H124 mm

External :
L447 * W333 * H130 mm

Bottom Depth : 62 mm

Lid Depth : 62 mm

Weight : 0.94 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

19

UNICASE Non Water Proof

UN4413

Internal :
L442 * W297 * H122 mm

External :
L448 * W363 * H135 mm

Bottom Depth : 70 mm

Lid Depth : 52 mm

Weight : 1.39 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

20

UNICASE Non Water Proof

UN4414

Internal :
L442 * W297 * H140 mm

External :
L448 * W363 * H148 mm

Bottom Depth : 70 mm

Lid Depth : 70 mm

Weight : 1.48 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

21

UNICASE Non Water Proof

UN4713

Internal :
L468 * W297 * H134 mm

External :
L475 * W366 * H140 mm

Bottom Depth : 67 mm

Lid Depth : 67 mm

Weight : 1.33 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

22

UNICASE Non Water Proof

UN5217

Internal :
L520 * W330 * H170 mm

External :
L546 * W380 * H183 mm

Bottom Depth : 85 mm

Lid Depth : 85 mm

Weight : 2.22 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

23

UNICASE Non Water Proof

UN5312

Internal :
L527 * W285 * H124 mm

External :
L533 * W348 * H131 mm

Bottom Depth : 62 mm

Lid Depth : 62 mm

Weight : 1.97 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

24

UN5918

Internal :
L590 * W390 * H180 mm

External :
L611 * W440 * H193 mm

Bottom Depth : 90 mm

Lid Depth : 90 mm

Weight : 2.49 Kgs

Material : Polypropylene

Wheels : No



www.unicase.in

25